

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/797,707	03/10/2004	Fiona Patricia Carney	CL/V-32903A	4227
31781	7590 11/22/2006		EXAMINER	
CIBA VISION CORPORATION PATENT DEPARTMENT			HOEKSTRA, JEFFREY GERBEN	
	S CREEK PARKWAY		ART UNIT	PAPER NUMBER
DULUTH, G	GA 30097-1556		3736	

DATE MAILED: 11/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		8	γ
	Application No.	Applicant(s)	1
	10/797,707	CARNEY ET AL.	
Office Action Summary	Examiner	Art Unit	-
	Jeffrey G. Hoekstra	3736	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet wit	h the correspondence addre	ess
A SHORTENED STATUTORY PERIOD FOR REWHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CF after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by six Any reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	G DATE OF THIS COMMUNIC R 1.136(a). In no event, however, may a re n. eriod will apply and will expire SIX (6) MON tatute, cause the application to become AB.	ATION. ply be timely filed  THS from the mailing date of this commandoned (35 U.S.C. § 133).	
Status			•
<ol> <li>Responsive to communication(s) filed on 1</li> <li>This action is FINAL.</li> <li>Since this application is in condition for allocated in accordance with the practice und</li> </ol>	This action is non-final. owance except for formal matte	·	nerits is
Disposition of Claims		•	
4)  Claim(s) 14-28 is/are pending in the applic 4a) Of the above claim(s) 21-28 is/are witho 5)  Claim(s) is/are allowed. 6)  Claim(s) 14-20 is/are rejected. 7)  Claim(s) is/are objected to. 8)  Claim(s) are subject to restriction are	drawn from consideration.		
Application Papers			
9) The specification is objected to by the Exam  10) The drawing(s) filed on 14 September 2006  Applicant may not request that any objection to Replacement drawing sheet(s) including the co  11) The oath or declaration is objected to by the	$[5]$ is/are: a) $[-]$ accepted or b) $[\times]$ the drawing(s) be held in abeyan rrection is required if the drawing(	ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR	1.121(d).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for fore a) All b) Some * c) None of:  1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the application from the International Bu * See the attached detailed Office action for a	nents have been received. nents have been received in Appriority documents have been priority documents have been preau (PCT Rule 17.2(a)).	oplication No received in this National St	age
Attachment(s)  1) Notice of References Cited (PTO-892)	· · · · · · · · · · · · · · · · · · ·	ummary (PTO-413)	
Notice of Draftsperson's Patent Drawing Review (PTO-948     Information Disclosure Statement(s) (PTO/SB/08)     Paper No(s)/Mail Date		)/Mail Date formal Patent Application 	

Application/Control Number: 10/797,707

Art Unit: 3736

### **DETAILED ACTION.**

#### Notice of Amendment

1. In response to the amendment filed on 09/14/2006, amendment(s) to the specification, amended claim(s) 14, 15, 17, 19, and 20, canceled claim(s) 1-13 is/are acknowledged. The current rejections of the claim(s) 14-20 is/are withdrawn. The following new and reiterated grounds of rejection are set forth:

#### Terminal Disclaimer

2. The terminal disclaimer filed on 09/14/2006 disclaiming the terminal portion of any patent granted on this application that would extend beyond the expiration date of Application No. 10/767,678 has been reviewed and is accepted. The terminal disclaimer has been recorded.

### **Drawings**

- 3. The drawings were received on 09/14/2006. These drawings are -not acceptable-- because they introduce new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: the positive citation of "a concave surface 11" and "a convex surface 12".
- 4. The examiner notes Applicant may desire to cite "a front surface 11" and "a back surface 12" which appears to be supported in the disclosure.

Application/Control Number: 10/797,707

Art Unit: 3736

#### Specification

5. The amendment filed 09/14/2006 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: the positive recitation of "a concave surface 11" and "a convex surface 12".

Applicant is required to cancel the new matter in the reply to this Office Action.

6. The examiner notes Applicant may desire to recite "a front surface 11" and "a back surface 12" which appears to be supported in the disclosure.

#### Claim Rejections - 35 USC § 102

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 8. Claims 14-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Everhart et al (US 6,060,256). For claim 14, Everhart et al discloses a biosensor, comprising: a kit for collecting an analyte of interest in a body fluid (column 2 lines 10-12), comprising: a contact lens (column 3 lines 25-28) capable of binding the analyte of interest in a tear fluid, wherein said contact lens has molecular imprints (column 2 lines 12-15, the patterned monolayers for example in column 7 lines 21-65, and the

Art Unit: 3736

lithography and etching for in example in column 10 line 60 – column 12 line 68) for the analyte of interest.

- 9. For claims 15-16, Everhart et al discloses a biosensor wherein the contact lens (column 3 lines 25-28) further comprises surface charges that are introduced by applying an LbL coating composed of at least one layer of a polyionic material onto the contact lens (column 7 lines 21-34).
- 10. For claims 17 and 18, Everhart et al discloses a biosensor wherein the contact lens further comprises a coating comprising a receptor which binds specifically the analyte of interest wherein said receptor is selected from the group consisting of antibodies, lectins, hormone receptors, drug receptors, enzymes, aptamers, nucleic acids, nucleic acid analogs, and fragments thereof (column 6 lines 11-30).
- 11. Claims 19-20 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Everhart et al.
- 12. The determination of patentability in a product-by-process claim is based on the product itself, even though the claim may be limited and defined by the process. That is, the product in such a claim is unpatentable if it is the same as or obvious from the product of the prior art, even if the prior product was made by a different process. In re Thorpe, 777 F.2d 695, 697, 227 USPQ 964, 966 (Fed. Cir. 1985). A product-by-process limitation adds no patentable distinction to the claim, and is unpatentable if the claimed product is the same as a product of the prior art.
- 13. For claim 19, Everhart et al discloses a biosensor wherein the contact lens has molecular imprints for the analyte of interest (column 7 lines 21-34).

Page 5

Application/Control Number: 10/797,707

Art Unit: 3736

14. For claim 20, Everhart et al discloses a biosensor wherein the contact lens a polymerizable composition comprises a receptor that binds specifically the analyte of interest (the plastic and receptor positively recited in column 4 lines 28-38).

# Response to Arguments

- 15. Applicant's arguments filed 09/14/2006 have been fully considered but they are not persuasive. Applicant argues Everhart et al does not disclose nor teach anything about molecular imprints for an analyte of interest distributed within a contact lens. The Examiner disagrees and maintains as broadly as structurally claimed Everhart et al discloses a contact lens structure comprising molecular imprints.
- 16. In response to applicant's argument that Everhart et al does not disclose nor teach anything about molecular imprints for an analyte of interest distributed within a contact lens, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. The examiner notes as broadly as structurally claimed Everhart et al discloses a contact lens structure capable of binding the analyte of interest in a tear fluid (column 2 line 10 column 3 line 29).

## Conclusion

17. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey G. Hoekstra whose telephone number is (571)272-7232. The examiner can normally be reached on Monday through Friday, 8:00 a.m. to 5:00 p.m. EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max F. Hindenburg can be reached on (571)272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JH T

CONTRIBUTED TO THE PART EXAMINER